

Algebraic Properties of \mathbf{R} On the set \mathbf{R} of real numbers there are two binary operations, denoted by $+$ and \cdot and called **addition** and **multiplication**, respectively. These operations satisfy the following properties:

- (A1) $a + b = b + a$ for all a, b in \mathbf{R} (*commutative property of addition*);
- (A2) $(a + b) + c = a + (b + c)$ for all a, b, c in \mathbf{R} (*associative property of addition*);
- (A3) there exists an element 0 in \mathbf{R} such that $0 + a = a$ and $a + 0 = a$ for all a in \mathbf{R} (*existence of a zero element*);
- (A4) for each a in \mathbf{R} there exists an element $-a$ in \mathbf{R} such that $a + (-a) = 0$ and $(-a) + a = 0$ (*existence of negative elements*);
- (M1) $a \cdot b = b \cdot a$ for all a, b in \mathbf{R} (*commutative property of multiplication*);
- (M2) $(a \cdot b) \cdot c = a \cdot (b \cdot c)$ for all a, b, c in \mathbf{R} (*associative property of multiplication*);
- (M3) there exists an element 1 in \mathbf{R} distinct from 0 such that $1 \cdot a = a$ and $a \cdot 1 = a$ for all a in \mathbf{R} (*existence of a unit element*);
- (M4) for each $a \neq 0$ in \mathbf{R} there exists an element $1/a$ in \mathbf{R} such that $a \cdot (1/a) = 1$ and $(1/a) \cdot a = 1$ (*existence of reciprocals*);
- (D) $a \cdot (b + c) = (a \cdot b) + (a \cdot c)$ and $(b + c) \cdot a = (b \cdot a) + (c \cdot a)$ for all a, b, c in \mathbf{R} (*distributive property of multiplication over addition*).

The Order Properties of \mathbf{R} There is a nonempty subset P of \mathbf{R} , called the set of positive real numbers, that satisfies the following properties:

- (i) If a, b belong to P , then $a + b$ belongs to P .
- (ii) If a, b belong to P , then ab belongs to P .
- (iii) If a belongs to \mathbf{R} , then exactly one of the following holds:

$$a \in P, \quad a = 0, \quad -a \in P.$$

(COMPLETENESS)

The Supremum Property of \mathbf{R} Every nonempty set of real numbers that has an upper bound has a supremum in \mathbf{R} .